



Multi Products Company

Flow Control Division

MFC-Z Motor valve Specifications

The Multi Products Company Motor Valve:

Overall Length	9" OAL when Upright with Base down.
Total Height	16" when Upright.
Total Weight	38 lbs.
Calibration	Calibration is completed with tightening the topworks down to the base. The indicator is mounted to the top of Valve to indicate valve position.
Adjust Range	PreSet
Attachment	Threaded Oring base accepts top works for sealed fit.
Stem Material	D2 stainless steel with Polished finish.
Stem Size	7/16" OD Stem with 3/4" plug tapered to zero..
Stem Thread	16 threads per inch.
Base Material	Ductile Steel with 2" NPT connection threads.
Valve trim orifice	.750 ID 1 inch (") orifice trim
Handle housing	Steel 3000 PSI working pressure with compressed Teflon packing.
Base Threads	2" NPT (11 1/2V)
Stem housing	Steel housing with Static O'ring recesses and Teflon packing to maintain lubrication and seal. Grease fitting from exterior for maintenance.
O'ring material	All Orings are Viton set in stem assembly in static recesses.
Color	Exterior of body is red. Diaphragm is nitrile impregnated Nylon.
Available Options	Motor valve can be made into Choke with the adding of the 180-Z top works. H2S valves are also available.

Customer Inquiries and Service should be directed to:

Multi Products Company
PO Box 286
7188 State Route 39 East
Millersburg, OH 44654
United States
Tel. 330-674-5981
Fax 330-674-2125